



COMMERCIAL LIGHTING SUPPLY

Your Replacement Lighting Headquarters

LIGHTING CONTROLS GUIDE


DIMMERS
PHOTO CONTROLS
MOTION SENSORS
TIMERS


2440 South 900 West
Salt Lake City, UT 84119
(801)262-0888 - Fax: (801)262-0982


www.commerciallightinginc.com

COMMERCIAL LIGHTING SUPPLY

LUTRON DIMMERS

ARIADNI						
		Incandescent		Magnetic Low-Voltage		Electronic Low-Voltage
		600 Watt	1000 Watt	600 VA	1000 VA	300 Watt
	Single Pole	AY600P*	AY10P*	AYLV600P*		
	3-Way	AY603P*	AY103P*	AYLV603P*		


DIVA						
		Incandescent		Magnetic Low-Voltage		Electronic Low-Voltage
		600 Watt	1000 Watt	600 VA	1000 VA	300 Watt
	Single Pole	DV600P*	DV10P*	DVLV600P*	DVLV10P*	DVELV300P*
	3-Way	DV603P*	DV103P*	DVLV603P*	DVLV103P*	DVELV303P*


MAESTRO						
		Incandescent		Magnetic Low-Voltage		Electronic Low-Voltage
		600 Watt	1000 Watt	600 VA	1000 VA	300 Watt
	Single Pole	MA600*	MA1000*	MALV600*	MALV1000*	MAELV600*
	3-Way	MA-R-*	MA-R-*	MA-R-*	MA-R-*	MA-R-*


* Available in White, Ivory, Light Almond, Almond, Brown and Black


COMMERCIAL LIGHTING SUPPLY


PHOTOCONTROLS


DIE CAST					
	Product Number	Rated Volts	Range	Load Rating Tungsten	Load Rating Ballast
	NSIAT15	120	105-130 Volts	2000 Watts	1900 VA
	NSIAT30	120	105-130 Volts	3000 Watts	2900 VA
	NSIAT168	240	185-305 Volts	2000 Watts	1900 VA

BUTTON STYLE					
	Product Number	Rated Volts	Range	Load Rating Tungsten	Load Rating Ballast
	NSIAA105	120	105-130 Volts	1800 Watts	1100 VA
	NSIAA1068	240	185-305 Volts	1200 Watts	1100 VA

SLIM PROFILE (PENCIL STYLE)					
	Product Number	Rated Volts	Range	Load Rating Tungsten	Load Rating Ballast
	NSITL115	120	105-130 Volts	1800 Watts	1100 VA




LOCKING STYLE					
	Product Number	Rated Volts	Range	Load Rating Tungsten	Load Rating Ballast
	NSIBF120	120	105-130 Volts	1000 Watts	1800 VA
	NSIBFPV	120/208/244/277	105-305 Volts	1000 Watts	1800 VA


LOCKING STYLE					
	Product Number	Rated Volts	Range	Load Rating Tungsten	Load Rating Ballast
	NSIM480	480	420-530 Volts	1000 Watts	1800 VA


RECEPTACLE					
	Product Number	Range	Load Rating Ballast	Load Rating Ballast	
	NSIAM1ANB	120-480 Volts	1800 VA	15.0 Amps	

COMMERCIAL LIGHTING SUPPLY


MOTION SENSORS

WALL SWITCH SENSORS	
	<p>SENWSDI-Ivory Passive Infrared Wall Switch, Up to 20' Detection, 120/277 Volt, 120 VAC-800 Watts Maximum, 277 VAC-1200 Watts Maximum</p> <p>SENWSDW-White Passive Infrared Wall Switch, Up to 20' Detection, 120/277 Volt, 120 VAC-800 Watt Maximum, 277 VAC-1200 Watts Maximum</p>
	<p>SENWSDPDTI-Ivory Passive Dual Technology, Up to 20' Detection, 120/277 Volt, 120 VAC-800 Watts Maximum, 277 VAC-1200 Watts Maximum</p> <p>SENWSDPDTW-White Passive Dual Technology, Up to 20' Detection, 120/277 Volt, 120 VAC-800 Watts Maximum, 277 VAC-1200 Watts Maximum</p>
	<p>SENWSDPDPW-White, Passive Dual Technology with Photocell, Up to 20' Detection, 120/277 Volt, 120VAC-800 Watts Maximum, 277 VAC-1200 Watts Maximum</p>

CEILING BOX SENSORS	
	<p>SENCMR9-Line Voltage, 120-277 Volt, Up to 5 Amp Load, No Power Pack Required, Mounts over Standard Box</p>

OUTDOOR MOTION SENSORS	
	<p>RABSTL360-360° Coverage, Bronze, 1000 Watts Maximum, 120 Volts, Deactivated During Daylight, 5 Second to 12 Minute Time Adjustment</p>

WALL BOX TIMERS



2440 South 900 West – Salt Lake City, UT 84119
(801) 262-0888 – Fax (801) 262-0982